

## Tasmanian Field Naturalists Club Inc.

## BULLETIN

Editor: Deirdre Brown bul.editor@tasfieldnats.org.au

Quarterly Bulletin No 361 January 2016

The Tasmanian Field Naturalists Club encourages the study of natural history and supports conservation. People of any age and background are welcome as members.

For more information, visit website <a href="http://www.tasfieldnats.org.au/">http://www.tasfieldnats.org.au/</a>; email <a href="minfo@tasfieldnats.org.au">info@tasfieldnats.org.au</a>; write to GPO Box 68, Hobart, 7001; or phone our secretary on (03)62278638.

We welcome articles and interesting photos for the Bulletin. If you would like to contribute to the next edition, please email the editor with your article or photos by 11 March 2016.

Program1	2016 Federation weekend6
Subscriptions1	
Excursion to The Thumbs, East Coast2	Bearers7
End of year gathering, Mt Misery5	Nomination Form7

### **Program**

General Meetings start at 7.15 pm for 7.30 pm on the first Thursday of the month and feature a guest speaker on natural history (no meetings or excursions in January). Meetings are held in the Life Science Building at the University of Tasmania.

**Excursions** are usually held the following Saturday or Sunday, meeting at 9.00 am outside the Museum in Macquarie St, Hobart. Bring lunch and all-weather outdoor gear. If you are planning to attend an outing, but have not been to the prior meeting, please confirm the details on the club website as late changes are sometimes made.

Thurs Feb.4 <sup>th</sup> .	Meeting: Guest Speaker: James Wood (RTBG) presents 'Tough Nuts to Crack' about his germination work and difficult plant families.		
Sun 7 <sup>th</sup> Feb.	Excursion: To be announced		
Mon Feb 22	Deadline for nominations for elections at AGM (see Page 7 for nomination form)		
Thurs March. 3 <sup>rd</sup> .	AGM and President's Address		
Sat. March.5 <sup>th</sup> .	Excursion: To be announced		
March 11-14	Federation Weekend 2016, Gowrie Park. See draft program page 6-7		
March 25-28	Easter Camp, possibly to West Coast but to be decided		
Thurs April 7 <sup>th</sup> .	Meeting: Guest Speaker to be announced		
Thurs May 5 <sup>th</sup> .	Meeting: Guest Speaker to be announced		
Thurs June 2 <sup>nd</sup> .	Meeting: Guest Speaker: Gintaras Kantvilas from the Herbarium will present 'Lichens'.		
For det	ails of talks and excursions, please check the website at http://www.tasfieldnats.org.au/		

## Subscriptions

A reminder that 2016 subs were due on 1 January, and can be paid by cheque to the Club address, by Paypal (follow the links on our website <a href="http://www.tasfieldnats.org.au/">http://www.tasfieldnats.org.au/</a>) or by EFT to the Club account BSB 067 102 A/c 2800 0476. Please identify your payment with your name and initial.

Family \$35 Single \$30 Single Junior or Concession \$25

## Excursion to The Thumbs, East Coast 8 November 2015

Attendees: Ruwanga visiting from Srilanka, Genevieve Gates, David Ratkowsky, Kevin Bonham, Don Hurd, David Hanlon, Amanda Thomson, Mick Brown, Deirdre Brown, Kay Wilson, Fiona Walsh.

We met at the carpark on the Thumbs track road at about 10.30am. The day was beautifully sunny and warm, and flowering shrubs and singing birds were immediately obvious before we had even parked on the roadside.



The excursion group Photo: Amanda Thomson

We walked up the hillside track through dry sclerophyll admiring the colour variations on *Cyathodes glauca* berries ranging from pale pink right though to deep purple.



Cyathodes glauca
Photo: Amanda Thomson

The group soon became strung out along the track as members stopped to photograph flowers, including some orchids, and to marvel at the truly prodigious number of skinks sunbaking on logs and stones. Three species were seen at various places through the day. Some members also had to stop to remove leeches – those large black ones that inhabit drier forests. Mick and Fiona enjoyed brushing up on their botany, although Mick lamented that he is a 20<sup>th</sup> century botanist and that many names have changed in the last few years.

We took the wet gully loop on the track and the party became even more spaced along the track as some

stopped to try to photograph a flock of about 12 strongbilled-honey eaters feeding in the wet sclerophyll.

We veered off to the left to take the forest loop and moved into wet sclerophyll, albeit rather dry. At this stage the party became very separated as there was so much to examine, and Amanda was left well in the rear when we heard a horrified cry from her, 'I've nearly been bitten by a copperhead!' Some panicked as they didn't hear the 'nearly'.

Amanda was crouched down to photograph something interesting in the leaf litter when she saw the snake at close range and fell back in shock. The snake kept approaching! Mick went back to assist and the snake slithered off into the scrub, but not before Amanda managed, in true Field Nats style, to take a photograph.



Copperhead snake
Photo: Amanda Thomson

Further up the hill we thought we could discern a feathered body in a high tree hollow, and surmised that it could be an owlet night-jar. Our binoculars weren't quite strong enough to get a good fix on the lighter object in the hollow. Mick took photographs with his big lens, but when he examined them at high magnification at home it was apparent that we were getting excited about a lighter coloured shard of wood!



View south from The Thumbs Photo: Deirdre Brown

The party regrouped at the point where the forest loop rejoined the main track and as it was now well after midday we had lunch. Some energetic souls continued to the top of the big thumb (another km on up a steep hill) while others enjoyed the sun and fed or observed the skinks. Genevieve tried them out with grated carrot

(licked it) a salty chip (also licked), but the little reptile preferred a passing ant. Genevieve was amazed at its hunting prowess – 'one second the ant was there, then it was gone!' We noticed that many skinks had climbed into the cyathodes bushes and were fighting the bees for the nectar.



Skink taking nectar from cyathodes flowers

Photo: Mick Brown

We returned via the regular track which winds its way up over the rocky dolerite hill of the second thumb. The change in vegetation was noticeable here with the lack of soil and moisture on the rocky outcrops .Some species such as *Pelargonium australis* were miniaturised. Several endemics cling to the hill.



Don and Mick climbing the rocky hill
Photo: Deirdre Brown

We were back at the cars by 3.00pm and then Amanda spotted a sloughed snake skin by the road, and Kevin was hopeful of finding a moth for Abbey. No luck but he did find a miniscule peripatus under the litter — only a few mm long — he has sharp eyes. Amanda also noted a devil scat and a beefly.



Snake skin Photo: Amanda Thomson

#### Birds

Grey fantail

Striated pardalote

Grey currawong

Kookaburra

Brown thornbill

Strong-billed honeyeater (flock of 12)

Eastern spinebill

Black cockatoo

Green rosella

Brown goshawk

Yellow throated honeyeater

### Fungi (Compiled by Genevieve)

Bovista sp

Mycena carmeliana

Slime mould - Fuligo septica



Slime mould
Photo: Amanda Thomson

### Plants (Compiled by Mick)

Acacia genistifolia

Acacia melanoxylon

Acaena novae-zelandiae

Argyrotegium mackayi

Asplenium flabellifolium

Banksia marginata

Bedfordia linearis

Bedfordia linearis x B. salicina

Bedfordia salicina

Blechnum nudum

Blechnum wattsii

Bursaria spinosa

Caladenia carnea

Callistemon pallidus

Cheilanthes austrotenuifolia

Clematis aristata

Coprosma hirtella

Coprosma quadrifida

Coronidium scorpiodes

Cyathodes glauca

Dianella tasmanica

Dichondra repens

Diplarrhena moraea

Drymophila cyanocarpa

Epacris impressa

Epacris marginata

Eucalyptus delegatensis

Eucalyptus globulus

Eucalyptus obliqua

Eucalyptus pulchella

Eucalyptus viminalis

Gahnia grandis

Galium albescens

Geranium potentilloides

Gonocarpus teucrioides

Hakea lissosperma

Hibbertia riparia

Kennedia prostrata

Lepidosperma laterale

Leptecophylla juniperina

Leptospermum scoparium

Lomandra longifolia

Lomatia tinctoria

Microsorum pustulatum

Monotoca glauca

Notelaea ligustrina

Olearia argophylla

Olearia lirata

Olearia phlogopappa

Olearia viscosa

Pelargonium australe

Pimelea lindleyana

Pittosporum bicolour

Plantago hispida

Polystichum proliferum

Pomaderris apetala

Pteridium esculentum

Pultanaea juniperina

Senecio linearifolius

Spyridium obovatum

Tasmannia lanceolata

Veronica formosa

Veronica gracilis

Viola hederacea

Wahlenbergia gracilis

Zieria arborescens

### Orchids (Compiled by Kevin)

Chiloglottis grammata

Caladenia carnea

C. cracens, probably C. vulgaris in bud

Thelymitra sp in bud (probably pauciflora or similar), Pterostylis (melagramma group) finished

Corybas sp finished.

### Snails (Compiled by Kevin)

Tasmaphena ruga

T. quaestiosa

Prolesophanta nelsonensis

Caryodes dufresnii

Bothriembryon tasmanicus

Paralaoma sp "Knocklofty"\*

P. discors\*

P. hobarti

Trocholaoma parvissima\*

Punctidae sp "Micro Cripps"\*

Planilaoma sp (unallocated)

"Allocharopa" sp ("legrandi" group)

Elsothera sp "Orford"

Thryasona diemenensis

Helicarion cf cuvieri

### Note from Kevin:

The four marked \* were new records for the Thumbs, taking my total from there to 19 species, a surprisingly long list given recent dry conditions.

Some other invertebrates: Millepedes were very scarce, but the centipede *Cormocephalus westwoodi* and the scorpion *Cercophonius squama* were very common. One *Lissotes* stag beetle was seen (but it wasn't the threatened species *L. latidens*) as was one very young velvet worm.

#### Deirdre Brown



Leech – Ugh! Photo: Amanda Thomson

# End of year gathering, Mt Misery 5 December 2015



The gathering at Mt Misery carpark
Photo: Geoff Carle

Twelve Field Nats went on the Mt Misery walk with another four joining for the BBQ afterwards. With a shorter time window for the walk this time, most of us walked up to Flat Rock, while a few walked to the forest loop and "the so-called waterfall" instead. After recent rains conditions were quite damp despite the dry spring, and fungi were prolific. Geoff Carle has posted an excellent montage of shots of them on the club Facebook page.



Fungi at Mt Misery
Photo: Geoff Carle

On the May outing to Mt Misery, I had thought the plateau near Flat Rock might be interesting for orchids. We only saw one species in flower there — Prasophyllum concinnum, a common southern Tasmanian leek orchid that a few decades back had been feared extinct! About 15 plants in flower, with a lot of variation in flower colour from pale green through to dark brown were seen. There was quite a display of flowers generally on the heathland attracting many different moths.

The Mt Misery BBQ is not only covered but well equipped with plates and tools. We were joined for lunch by a cute pademelon carrying a joey.



Pademelon and Joey Photo: Geoff Carle

I recorded seven species of snail:

Caryodes dufresnii, Tasmaphena sinclairi, Allocharopa sp "Wellington", A sp "Junee", Paralaoma discors, Pernagera kingstonensis and a charopid I'm calling Planilaoma sp "Lake Esperance", though it will be described in a new genus.

The last three were new records for Mt Misery and the last was especially odd. Its previous records come from Hartz Mountains, Mt Wellington and near Lake Skinner, and were all either in alpine areas or high-altitude rainforests. To find it at only 480 m on a musk tree near the rainforest platform was a big surprise, but may at least explain its dispersal between mountain areas.

### Kevin Bonham

### Fungi (Compiled by Genevieve Gates)

Amanita umbrinella group

Bovista brunnea

Byssomerulius corium

Calocera guepinioides

Clitocybula 'brick red'

Coprinellus sp.

Descomyces albus

Discinella terrestris

Entoloma conferendum

Ganoderma australe

Hygrocybe arcohastata?

Hygrocybe chromolimonea

Hypoxylon aff. placentiforme

Hypoxylon howeanum

Inocybe 'bruising orange red'

Laccaria sp.

Mycena subgalericulata

Panellus longinguus

Pholiota squarrosipes

Porpolomopsis lewelliniae

Psathyrella sp.

Scutellinia scutellata

Xylaria castorea

Xylaria hypoxylon

TFNC Mt Misery Plant List 5 Dec 2015

Xylaria tuberiformis

### Plant List (Compiled by Annabel Carle)

Plant family-species name	Common name	
RAINFOREST		
Lichens – Pseudocyphellaria billardierei possibly		
Ferns - Dicksonia antarctica	Soft tree-fern	
Monocotyledons		
Orchidaceae – Chiloglottis gunnii	Bird Orchid	
Orchidaceae - Corybus sp	Helmet orchids - leaf only	
Orchidaceae - Gastrodia sesamoides	Potato Orchid – in bud	
Dicotyledons		
Asteraceae – Bedfordia salicina	Tasmanian Blanketleaf	
Atherospermataceae – Atherosperma moschatum	Sassafras	
Elaeocarpaceae – Aristotelia peduncularis	Heartberry in flower	
Ericaceae – Cyathodes glauca	Purple Cheeseberry	
Escalloniaceae – Anopterus glandulosus	Tasmanian Laurel	
Fagaceae - Nothofagus cunninghamii	Myrtle Beech	
Luzuriagaceae – Drymophila cyanocarpa	Turquoise Berry	
Myrtaceae – Eucalyptus delegentensis ssp	Gum-topped Stringybark	
tasmaniensis	Guin-topped Stringybark	
Myrtaceae – Eucalyptus obliqua	Stringybark	
Myrtaceae – Eucalyptus regnans	Giant Ash	
Rhamnaceae – Pomaderris apetala	Common Dogwood	
Ranunculaceae – Clematis sp	Clematis	
Rubiaceae – Galium sp (poss G. australe?)	Bedstraw	
Rutaceae – Nematolepis squamea	Satinwood/Tallow-wood	
Rutaceae – Zieria arborescens	Stinkwood	
Thymelaceae – Pimelea drupacea	Cherry Riceflower	
Urticaeae – Urtica sp (incisa?)	Stinging Nettle (Scrub	
	Nettle?)	
PLATEAU/HEATHLAND Lycopodiaceae – Lycopodium deuterodensum	Bushy Clubmoss	
Lycopodiaceae – Lycopodium deuterodensum	Bushy Clubmoss	
Lycopodiaceae – Lycopodium deuterodensum  Monocotyledons	,	
Lycopodiaceae – Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae – Thelionema caespitosum	Tufted Lily	
Lycopodiaceae – Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae – Thelionema caespitosum  Orchidaceae – Pterostylis sp	Tufted Lily Greenhood sp	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum  Orchidaceae — Pterostylis sp  Orchidaceae — Prasophyllum concinnum	Tufted Lily Greenhood sp Trim Leek Orchid	
Lycopodiaceae – Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae – Thelionema caespitosum  Orchidaceae – Presostylis sp  Orchidaceae – Prasophyllum concinnum  Orchidaceae – Thelionema sp	Tufted Lily Greenhood sp	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum  Orchidaceae — Pterostylis sp  Orchidaceae — Prasophyllum concinnum	Tufted Lily Greenhood sp Trim Leek Orchid	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Pterostylis sp Orchidaceae — Prasophyllum concinnum Orchidaceae — Thelymitra sp Restionaceae sp.	Tufted Lily Greenhood sp Trim Leek Orchid	
Lycopodiaceae – Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae – Thelionema caespitosum Orchidaceae – Pterostylis sp Orchidaceae – Prasaphyllum concinnum Orchidaceae – Thelymitra sp Restionaceae sp.  Dicotyledons	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Pterostylis sp Orchidaceae — Prasophyllum concinnum Orchidaceae — Thelymitra sp Restionaceae sp.	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Prerostylis sp Orchidaceae — Prasophyllum concinnum Orchidaceae — Thelymitra sp Restionaceae sp.  Dicotyledons Cunioniaceae — Bauera rubioides Dilleniaceae — Hibbertio procumbens	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud	
Lycopodiaceae – Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae – Thelionema caespitosum Orchidaceae – Pterostylis sp Orchidaceae – Pterostylis sp Orchidaceae – Thelymitra sp Restionaceae sp.  Dicotyledons Cunioniaceae – Bauera rubioldes	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Prerostylis sp Orchidaceae — Prasophyllum concinnum Orchidaceae — Thelymitra sp Restionaceae sp.  Dicotyledons Cunioniaceae — Bauera rubioides Dilleniaceae — Hibbertio procumbens	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Wiry Bauera Spreading Guineaflower	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Perasylis sp Orchidaceae — Prasynylium concinnum Orchidaceae — Thelymitra sp Restionaceae sp.  Dicotyledons Cunloniaceae — Bauera rubioldes Dilleniaceae — Hibbertia procumbens Droseraceae — Drosera sp (peltato?)	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Wiry Bauera Spreading Guinesflower Pale Sundew	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Pterostylis sp Orchidaceae — Prasophyllum concinnum Orchidaceae — Thelymitra sp Restionaceae sp. Dicotyledons Cunloniaceae — Bauera rubioides Dilleniaceae — Hibbertia procumbens Droseraceae — Drosera sp (peltata?) Ericaeae — Epacris lanuginosa	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Winy Bauera Spreading Guineaflower Pale Sundew Swamp Heath	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum  Orchidaceae — Pterostylis sp  Orchidaceae — Prasophyllum concinnum  Orchidaceae — Thelymitra sp  Restionaceae sp.  Dicotyledons  Cunloniaceae — Bauera rubioides  Dilleniaceae — Bibertio procumbens  Droseraceae — Drosera sp (peltata?)  Ericaeae — Epacris lanuginosa  Ericaeae — Elacris lanuginosa  Ericaeae — Richea sprengelioides	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Wiry Bauera Spreading Guineaflower Pale Sundew Swamp Heath Rigid Candleheath	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum  Orchidaceae — Presostylis sp Orchidaceae — Prasophyllum concinnum  Orchidaceae — Thelymitra sp Restionaceae sp.  Dicotyledons  Cunioniaceae — Bauera rubioides  Dilleniaceae — Hibbertia procumbens  Droseraceae — Hibbertia procumbens  Droseraceae — Drosera sp (peltata?)  Ericaeae — Epacris lanuginosa  Ericaceae — Richea sprengelioides  Myrtaceae — Leptospermum scoparium	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Wiry Bauera Spreading Guineaflower Pale Sundew Swamp Heath Rigid Candleheath Common Teatree	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Pterostylis sp Orchidaceae — Prasophyllum concinnum Orchidaceae — Prasophyllum concinnum Orchidaceae — Thelymitra sp Restionaceae sp.  Dicotyledons Cunioniaceae — Bauera rubioides Dilleniaceae — Bibbertio procumbens Droseraceae — Drosera sp (peltata*) Ericaeeae — Epacris lanuginosa Ericaceae — Etheca sprengelioides Myrtaceae — Leptospermum scoparium Fabaceae — Oxylobium ellipticum Myrtaceae — Melaleuca syuomea	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Winy Bauera Spreading Guineaflower Pale Sundew Swamp Heath Rigid Candleheath Common Teatree Golden Shaggypea	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum  Orchidaceae — Presostylis sp Orchidaceae — Prasophyllum concinnum  Orchidaceae — Trasophyllum concinnum  Orchidaceae — Thelymitra sp Restionaceae sp.  Dicotyledons  Cunioniaceae — Bauera rubioldes  Dilleniaceae — Hibbertio procumbens  Droseraceae — Drosera sp (peltata?)  Ericaeae — Epacris Innuginosa  Ericaceae — Richee sprengelioides  Myrtaceae — Leptospermum scoparium  Fabaceae — Oxylobium ellipticum  Myrtaceae — Melaleuca squamea  Proteaceae — Banksio marginata	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Wiry Bauera Spreading Guineaflower Pale Sundew Swamp Heath Rigid Candleheath Common Teatree Golden Shaggypea Swamp Honeymyrtle Slilver Banksia	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Pterostylis sp Orchidaceae — Prasophyllum concinnum Orchidaceae — Prasophyllum concinnum Orchidaceae — Thelymitra sp Restionaceae sp.  Dicotyledons Cunioniaceae — Bauera rubioides Dilleniaceae — Bibbertio procumbens Droseraceae — Drosera sp (peltata*) Ericaeeae — Epacris lanuginosa Ericaceae — Etheca sprengelioides Myrtaceae — Leptospermum scoparium Fabaceae — Oxylobium ellipticum Myrtaceae — Melaleuca syuomea	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Winy Bauera Spreading Guineaflower Pale Sundew Swamp Heath Rigid Candleheath Common Teatree Golden Shaggypea Swamp Honeymyrtle	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum  Orchidaceae — Prerostylis sp  Orchidaceae — Presophylium concinnum  Orchidaceae — Presophylium concinnum  Orchidaceae — Thelymitra sp  Restionaceae sp.  Dicotyledons  Cunioniaceae — Bauera rubioides  Dilleniaceae — Hibbertia procumbens  Droseraceae — Drosera sp (peltata*)  Ericaeae — Epacris lanuginosa  Ericaceae — Eichea sprengelioides  Myttaceae — Leptospermum scoparium  Fabaceae — Oxylobium ellipticum  Myttaceae — Melaleuca squamea  Proteaceae — Banksia marginata  Stylidiaceae — Stylidium graminfolium?	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Wiry Bauera Spreading Guineaflower Pale Sundew Swamp Heath Rigid Candleheath Common Teatree Golden Shaggypea Swamp Honeymyrtle Slilver Banksia	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum Orchidaceae — Presostylis sp Orchidaceae — Prasophyllum concinnum Orchidaceae — Theliymitra sp Restionaceae sp.  Dicotyledons Cunioniaceae — Bauera rubioldes Dilleniaceae — Hibbertio procumbens Droseraceae — Drosera sp (peltata?) Ericaeae — Epocris Innuginosa Ericaceae — Enchea sprengelioides Myrtaceae — Leptospermum scoparium Fabaceae — Oxylobium ellipticum Myrtaceae — Melaleuca squamea Proteaceae — Banksio marginata Stylidiaceae — Stylidium graminfolium?  BBQ AREA	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Wiry Bauera Spreading Guineaflower Pale Sundew Swamp Heath Rigid Candleheath Common Teatree Golden Shaggypea Swamp Honeymyrtle Siliver Banksia Narrowleaf Triggerplant	
Lycopodiaceae — Lycopodium deuterodensum  Monocotyledons  Hemerocallidaceae — Thelionema caespitosum  Orchidaceae — Prerostylis sp  Orchidaceae — Presophylium concinnum  Orchidaceae — Presophylium concinnum  Orchidaceae — Thelymitra sp  Restionaceae sp.  Dicotyledons  Cunioniaceae — Bauera rubioides  Dilleniaceae — Hibbertia procumbens  Droseraceae — Drosera sp (peltata*)  Ericaeae — Epacris lanuginosa  Ericaceae — Eichea sprengelioides  Myttaceae — Leptospermum scoparium  Fabaceae — Oxylobium ellipticum  Myttaceae — Melaleuca squamea  Proteaceae — Banksia marginata  Stylidiaceae — Stylidium graminfolium?	Tufted Lily Greenhood sp Trim Leek Orchid Sun Orchid in bud  Wiry Bauera Spreading Guineaflower Pale Sundew Swamp Heath Rigid Candleheath Common Teatree Golden Shaggypea Swamp Honeymyrtle Slilver Banksia	

### 2016 Federation weekend

Notice & Preliminary Program from Launceston Field Naturalists Club: Gowrie Park, March long week-end (Friday 11<sup>th</sup>-Monday 14<sup>th</sup>).

aunceston Field Naturalists Club will be hosting the next Federation Weekend. This is being held early in the year (on the long week-end in March 2016 - Friday 11<sup>th</sup>-Monday 14<sup>th</sup>), to avoid clashing with ANN in spring. Given the time of year, the main theme of the weekend will be environmental interactions and drivers of diversity, but we will also delve a little more into the undergrowth, and into methodology of investigation and classification of what we find.

We will have the Gowie Park Wilderness Village as accommodation and base, from which we can access excursions to a wide range of climatic zones containing a variety of geological features. These include open sclerophyll, rainforest, and alpine. The preliminary program includes one day comparing diverse habitats in the Mole Creek area, and one day visiting Devil's Gullet and the associated alpine flora, with stops to compare the flora and associated micro fauna as we climb.

### **Draft Itinerary**

- Friday afternoon arrive, byo dinner and refreshments.
- Friday evening: welcome and discussion on objectives and methodology (details to be advised).
- Saturday: Field trip as above (probably Devil's Gullet)
- Saturday or Sunday evening dinner: (depending on numbers): BBQ or dinner at the function room of the Old Black Stump Restaurant (Formerly Weindorfers Restaurant)
- Saturday evening guest speaker: Bob Mesibov\*.
   "Taxonomy Ain't What It Used To Be".
- Sunday: Field trip as above (probably Mole Creek)
- Sunday evening dinner: BBQ or Black Stump Restaurant

- Monday: Book out, with optional activities to be advised for those not travelling far.
- We look forward to hearing from any one attending who can lead brief field discussions on any of the flora or fauna groups we will encounter.

Note:Bob Mesibov is an Honorary Research Associate at the Queen Victoria Museum and Art Gallery. He has described or redescribed more than 170 species of native millipedes from NSW, Qld, SA, Tas, Vic and the NT, and is the compiler of the millipede section of the Australian Faunal Directory and the online catalogue, 'Millipedes of Australia'.

The talk will look back at the remarkable changes in zoological taxonomy over the past 15 years, plus Bob's adventures chasing small creatures in out-of-the-way places.

### Accommodation

The Gowrie Park Wilderness Village has variety of accommodation options. We will have exclusive use of the bunkhouse, with large communal dining / meeting room and communal kitchen.

 The bunk-house contains 14 bedrooms and 4 bathrooms, \$25 / adult / night. Bedrooms contain a mixture of bunks and single beds, but

- all providing 2 or 3 singles without the use of top bunks.
- For those who may want a more self contained option, there are also 4 self-contained cabins that sleep 6 (queen + 2 sets bunks). These are \$110 night including linen, but will not be held, so first in, first served.
- There is overflow backpackers accommodation if we fill up the bunk-house (\$35 / night, bring or hire linen).
- Powered & unpowered camping sites also available.

Booking can be made directly with the park on 03-64911385 (be sure to mention LFNC group booking).

To view accommodation options, go to

http://www.gowriepark.com.au/tasmanian-accommodation.html

For menu of Black Stump Restaurant see <a href="http://theoldblackstump.com.au/our-menu/">http://theoldblackstump.com.au/our-menu/</a>

(For an organised function involving larger numbers and a dedicated function room there will be a more limited choice arranged beforehand, such as alternate drop, to facilitate timely delivery of all members.)

## Annual General Meeting and Election of Office Bearers

### Annual General Meeting Tasmanian Field Naturalists Club Inc. GPO Box 68, Hobart, Tas. 7001

The 2016 AGM will be on Thursday 3rd March in the Life Sciences Lecture Theatre at the University of Tasmania. The President's talk will be at 7:30pm, followed by the AGM, then a General Meeting. All positions are vacant.

### Nominations are called for the following office bearers:

President, Vice President, Secretary, Treasurer, Bulletin Editor, Walks and Talks Coordinator, Librarian, Naturalist Editor, Three (3) Committee Members.

Below is a nomination, but any written nominations will be accepted provided they contain the same information as contained in the official nomination form. Nominations can also be emailed to secretary@tasfieldnats.org.au and the agreement of the nominee will be confirmed prior to the AGM.

### Nomination Form

Nomination for (position) N		) Name:	
Nominated by:	Seconded bv1:	Accepted2:	

Nominations **must** reach the Secretary at the above address by **Monday 22 February**. If no-one has nominated for a position by this time then nominations can be delivered in person prior to the AGM.

The person being nominated must indicate their consent in writing or by email by **Monday 22 February**, however this does not have to be on the nomination form.